

The `sidenotes` package*

Andy Thomas
`andythomas(at)web.de`

Oliver Schebaum

December 18, 2013

Abstract

This package tries to allow the typesetting of rich content in the margin. This includes text, but also figures, captions, tables and citations. This is common in science textbooks such as Feynman's *Lectures on Physics*.

Contents

1	Usage	1
2	Technical note	2
3	Required packages	2
4	Implementation	2

1 Usage

`\sidenote` The macro is very similar to the footnote macro and tries to emulate its behavior. But like the name says, the note is put in the margin, hence the name `sidenote`. It has the same parameters as `footnote`, plus an additional offset: `\sidenote[number][offset]{text}`. The `sidenote` moves up or down (floats) to not overlap with other floats in the margin if no offset is given. and all the `sidenotes` are subsequently numbered. The first, optional parameter will manually change the numbering. The `sidenote` will be fixed at a particular position in the margin if the offset parameter is used.

`\sidenotemark` `Sidenote` tries to mimic the footnote behavior and tries to provide the same solutions. Sometimes it is not possible to directly call a `sidenote` macro, e.g. in particular environments. Then, you can also use `\sidenotemark[number]`

*This document corresponds to `sidenotes` v0.93, dated 2012/04/07.

<code>\sidenotetext</code>	and <code>\sidenotetext[number][offset]{text}</code> commands. <code>\sidenotemark</code> puts a mark at the current position. Then, outside of the environment that causes the trouble, it is possible the call <code>\sidenotetext[number][offset]{text}</code> to actually make the sidenote. The first, optional parameter will change the numbering of the sidenote and the offset parameter will change the position manually.
<code>\sidecaption</code>	The <code>\sidecaption[entry][offset]{text}</code> macro can be used if the caption of a figure or table is supposed to be in the margin. The caption has to be adjacent to the figure, so a float is not an option here. Therefore, the caption might overlap with sidenotes that have to be manually adjusted. Please note, that the formatting is done by the caption package by defining a sidecaption style. This macro has a sister <code>\sidecaption*[offset]{text}</code> that generates no entry.
<code>\sidecaption*</code>	
<code>marginfigure</code>	The <code>marginfigure</code> environment puts a figure and its caption in the margin. Instead of <code>\begin{figure}[htbp]</code> use <code>\begin{marginfigure}[offset]</code> . The offset switches the behavior from float to fixed position.
<code>marginable</code>	The <code>marginable</code> environment works similarly, but with table environments. Use <code>\begin{marginable}[offset]</code> instead of <code>\begin{table}[htbp]</code> .
<code>figure*</code>	The <code>figure*</code> environment is used to position figures across the full page, i.e. the text width plus margin. The captions type can be changed by changing the <code>widfigure</code> style. The <code>table*</code> environment is very similar, but for tables. Use <code>widetable</code> for its caption style.
<code>table*</code>	

2 Technical note

When writing the package, we tried to provide a minimum extension to standard L^AT_EX for typesetting rich content in the margin. Also, we tried to not break compatibility with packages the user might want to additionally load in a custom class file or a document. However, the following packages are needed by this package and might introduce side effects with other packages.

3 Required packages

marginnote supports another command to create notes in the margin. The notes are not floats and can be shifted up or down.

caption is used to set figure and table captions in the margin and to allow formatting of these captions.

xifthen is used to test for empty, optional arguments.

twoopt is used to define macros with two optional arguments.

change page is used to correctly shift `figure*` and `table*`. It has to use the option `[strict]`.

4 Implementation

We need a counter similar to the footnote counter and we want to have a buffer.

```

1 \newcounter{ sidenote } % make counter
2 \newcounter{@sidenotes@buffer}
3 \setcounter{ sidenote }{1} % init counter

4 \def\@sidenotes@ifnextchar#1#2#3{%
5 \let\@sidenotes@buffere #1\def\@sidenotes@buffera{#2}%
6 \def\@sidenotes@bufferb{#3}\futurelet\@sidenotes@bufferc\@sidenotes@ifnextchar@real}%
7 \def\@sidenotes@ifnextchar@real{%
8 \ifx\@sidenotes@bufferc \@sidenotes@buffere \let\@sidenotes@bufferd\@sidenotes@buffera%
9 \else\let\@sidenotes@bufferd\@sidenotes@bufferb\fi\@sidenotes@bufferd}%

```

`\sidenote` Introduce the sidenote macro with an additional optional argument to set the offset.

```

10 \newcommandtwopt{\sidenote}[3] [] [] {%
11 \sidenotemark[#1]%
12 \sidenotetext[#1][#2]{#3}%
13 \@sidenotes@ifnextchar\sidenote{\kern-0.07em\textsuperscript{,}}%
14 {\@sidenotes@ifnextchar\sidenote{\kern-0.07em\textsuperscript{,}}{}}%
15 }

```

`\sidenotemark` Sidenotemark is supposed to work similarly to footnotemark.

```

16 \newcommand{\sidenotemark}[1] [] {%
17 \nobreak\hspace{0.1pt}\nobreak%
18 \ifthenelse{\isempty{#1}}%
19 {\textsuperscript{\thesidenote}}%
20 \refstepcounter{sidenote}}% if no argument is given use sidenote counter%
21 {\setcounter{@sidenotes@buffer}{\value{sidenote}}}%
22 \setcounter{sidenote}{#1}%
23 \textsuperscript{\thesidenote}% print out the argument otherwise
24 \setcounter{sidenote}{\value{@sidenotes@buffer}}}%
25 \@sidenotes@ifnextchar\sidenote{\textsuperscript{,}}{}}%
26 \ignorespaces%
27 }%

```

`\sidenotetext` Sidenotetext is supposed to work similarly to footnotetext. The additional, optional argument sets the offset.

```

28 \newcommandtwopt{\sidenotetext}[3] [] [] {%
29 \ifthenelse{\isempty{#1}}{% sidenotemark given?
30 \addtocounter{sidenote}{-1}%
31 \ifthenelse{\isempty{#2}}% offset given?
32 {\marginpar{\textsuperscript{\thesidenote}}{ #3}}%
33 {\marginnote{\textsuperscript{\thesidenote}}{ #3}[#2]}%
34 \addtocounter{sidenote}{1}}%
35 {\ifthenelse{\isempty{#2}}% offset given?
36 {\marginpar{\textsuperscript{#1} #3}}%
37 {\marginnote{\textsuperscript{#1} #3}[#2]}}%
38 }%

```

`\sidecaption` Sidecaption puts the caption in the margin. It never floats with the other text in the margin, since it has to be next to the figure. Sidecaption* works similarly to sidecaption, but without an entry.

```

39 \DeclareCaptionStyle{sidecaption}{font=footnotesize}
40 \newcommand{\sidecaption}{\@ifstar\@sidenotes@sidecaption@starred\@sidenotes@sidecaption@unstarred}
41 \newcommandtwoopt{\@sidenotes@sidecaption@unstarred}[3] [] []{%
42 \captionsetup{style=sidecaption}%
43 \ifthenelse{\isempty{#2}}{\marginnote{\caption[#1]{#3}}}{\marginnote{\caption[#1]{#3}}[#2]}}%
44 \newcommand{\@sidenotes@sidecaption@starred}[2] [] {%
45 \captionsetup{style=sidecaption}%
46 \ifthenelse{\isempty{#1}}{\marginnote{\caption*{#2}}}{\marginnote{\caption*{#2}}[#1]}}%
47 %

```

`marginfigure` The marginfigure is similar to the figure environment. But the figure is put in the margin.

```

48 \newsavebox{\@sidenotes@sidefigurebox}
49 \newboolean{@sidenotes@sidefigure@skip}
50 \newcommand{\@sidenotes@sidefigure@skiplength}{}
51 \DeclareCaptionStyle{marginfigure}{font=footnotesize}
52 \newenvironment{marginfigure}[1] [] {%
53 {\ifthenelse{\isempty{#1}}{}% offset?
54 {\setboolean{@sidenotes@sidefigure@skip}{false}}%
55 {\setboolean{@sidenotes@sidefigure@skip}{true}}%
56 \renewcommand{\@sidenotes@sidefigure@skiplength}{#1}}%
57 \begin{lrbox}{\@sidenotes@sidefigurebox}%
58 \begin{minipage}{\marginparwidth}%
59 \captionsetup{type=figure,style=marginfigure}}%
60 {\end{minipage}%
61 \end{lrbox}}%
62 \ifthenelse{\boolean{@sidenotes@sidefigure@skip}}{}% offset?
63 {\marginnote{\usebox{\@sidenotes@sidefigurebox}}[\@sidenotes@sidefigure@skiplength]}% offset
64 {\marginpar{\usebox{\@sidenotes@sidefigurebox}}}% no offset
65 }

```

`marginable` The sidetable is similar to the table environment. But the table is put in the margin.

```

66 \newsavebox{\@sidenotes@marginablebox}
67 \newboolean{@sidenotes@marginable@skip}
68 \newcommand{\@sidenotes@marginable@skiplength}{}
69 \DeclareCaptionStyle{marginable}{font=footnotesize}
70 \newenvironment{marginable}[1] [] {%
71 {\ifthenelse{\isempty{#1}}{}%
72 {\setboolean{@sidenotes@marginable@skip}{false}}%
73 {\setboolean{@sidenotes@marginable@skip}{true}}%
74 \renewcommand{\@sidenotes@marginable@skiplength}{#1}}%
75 \begin{lrbox}{\@sidenotes@marginablebox}%
76 \begin{minipage}{\marginparwidth}%
77 \captionsetup{type=table,style=marginable}}%
78 {\end{minipage}%

```

```

79 \end{lrbox}%
80 \ifthenelse{\boolean{@sidenotes@marginable@skip}}{%
81 {\marginnote{\usebox{\@sidenotes@marginablebox}}[\@sidenotes@marginable@skiplength]}}%
82 {\marginpar{\usebox{\@sidenotes@marginablebox}}} %
83 }%

```

figure* The figure* environment provides a figure environment for figures across text and margin width

```

84 \AtBeginDocument{%
85 \newlength{\@sidenotes@extrawidth}
86 \setlength{\@sidenotes@extrawidth}{\marginparwidth}
87 \addtolength{\@sidenotes@extrawidth}{\marginparsep}
88 }
89 \DeclareCaptionStyle{widefigure}{margin={0pt,-\@sidenotes@extrawidth},font=footnotesize}
90 \newcommand{\@sidenotes@adjust}{%
91     \checkoddpage%
92     \ifoddpage%
93 %
94     \else%
95 \hspace{-\@sidenotes@extrawidth}%
96     \fi}
97 \renewenvironment{figure*}[1][htbp]{\begin{figure}[#1]%
98     \@sidenotes@adjust%
99     \captionsetup{style=widefigure}%
100 }{\end{figure}}%

```

table* The table* environment provides a table environment for figures across text and margin width

```

101 \DeclareCaptionStyle{widetable}{margin={0pt,-\@sidenotes@extrawidth},font=footnotesize}
102 \renewenvironment{table*}[1][htbp]{\begin{table}[#1]%
103     \@sidenotes@adjust%
104     \captionsetup{style=widetable}%
105 }{\end{table}}%

```

Index

Numbers written in *italic* refer to the page where the corresponding entry is described; numbers underlined refer to the code line of the definition; numbers in roman refer to the code lines where the entry is used.

E 2, <u>84</u>	<code>\sidecaption*</code> 2
environments:		<code>\sidenote</code> 1, <u>10</u>
<code>figure*</code> 2, <u>84</u>	M	<code>\sidenotemark</code> 1, <u>16</u>
<code>marginfigure</code> .. 2, <u>48</u>	<code>marginfigure</code> (environ-	<code>\sidenotetext</code> 1, <u>28</u>
<code>marginable</code> ... 2, <u>66</u>	ment) 2, <u>48</u>	
<code>table*</code> 2, <u>101</u>	<code>marginable</code> (environ-	T
	ment) 2, <u>66</u>	<code>table*</code> (environment)
F	 2, <u>101</u>
<code>figure*</code> (environment)	S	
	<code>\sidecaption</code> 1, <u>39</u>	

Change History

v0.2		v0.90	
General: Initial version	1	General: added a section that the package needs twoopt and changepage.	2
v0.3		two opt package is required, the definitions are too confusing otherwise	1
marginfigure : define the sidefigure environment without the environ package	4	marginfigure : the optional offset parameter is back, renamed environment from sidefigure to marginfigure	4
v0.4		marginfigure : the optional offset parameter is back, renamed environment from sidetable to margintable	4
margintable : define the sidetable environment without the environ package	4	\sidenote : add optional offset for sidenote	3
v0.51		\sidenotetext : add optional offset for sidenotetext	3
General: Extent the documentation of the macros.	1	v0.91	
v0.52		General: deleted marginfullcite	1
General: added a section that the package needs marginnote, caption and xifthen.	2	sidenotetextstyle is not needed any more	2
v0.53		\sidecaption : sidecaption* accompanies sidecaption	3
\sidenote : bugfix, now optional number and offset possible	3	v0.92	
v0.61		General: corrected typo in email address	1
General: documentation of sidetext	1	v0.93	
v0.7		General: regular ifnextchar gobbles trailing whitespaces, introduce a new one that does not.	3
General: rewrite without optional offsets	1	\sidenote : removed mandatory whitespace, new ifnextchar takes care of that	3
v0.80		\sidenotetext : add missing comment marks	3
\sidenote : unstar the newcommand.	3		
\sidenotetext : unstar the newcommand.	3		
v0.81			
\sidenote : added a comma between subsequent sidenotes	3		
v0.85			
table* : added the table* environment	5		
figure* : added the figure* environment	5		